All designs and details are copyright to GJ Gardner Homes

G.J. Gardner. HOMES

ph: 03 442 8840
e: queenstown@gjgardner.co.nz

Sheet Index

Layout ID	Layout Name	Revision Date
01	Cover Page	
02	Site & Location Plan	
03	Site Coverage	
04	Landscaping Plan	
05	Site Storm Water Disposal Plan	
06	Site Drainage Plan	
07	Earthworks Calcs	
08	Floor Plan	
09	Elevations 1	
010	Elevations 2	
011	Fire Plan	
012	Foundation Engineering Plan	
013	Foundation Drainage Plan	
014	Roof Framing Plan	
015	Lintels and Top Plate Fixings	
016	Bracing Plan	
017	H1 Requirements	
018	Bracing Demand & Calculations	
019	Electrical Plan	
020	Cross Section A	
021	Cross Section B1	
022	Cross Section B2	
023	Cross Section C	
024	Cross Section D	
025	Cross Section E	
026	Cross Section F	
027	Cross Section G	
028	Cross Section H	
029	Construction Details 1 - Door Sills	
030	Construction Details 2 - Foundation	
031	Construction Details 3 - Foundation	
032	Construction Details 4 - Corrugate Joiner...	
033	Construction Details 5 - Stria Joinery Det...	
034	Construction Details 6 - Shiplap Joinery ...	
035	Construction Details 7 - Shiplap Joinery ...	
036	Construction Details 8 - Cladding Junctions	
037	Construction Details 9 - Cladding Junctions	
038	Construction Details 10 - Soffit Details	
039	Site Drainage Details 1	
040	Site Drainage Details 2	
041	Site Drainage Details 3	
042	Bracing Details 1	
043	Bracing Details 2	
044	Construction Details - Wet Area 1	
045	Construction Details - Wet Area 2	
046	Construction Details - Wet Area 3	
047	Construction Details - Wet Area 4	
048	Construction Details - Wet Area 5	
049	NZBC Roof Details 1	
050	NZBC Roof Details 2	
051	NZBC Roof Details 3	
052	True Oak Roofing Details	
053	GBTLAB 60b Details 1	
054	GBTLAB 60b Details 2	
055	GBTLAB 60b Details 3	

All designs and details are copyright to GJ Gardner Homes






Sheet Index

Layout ID	Layout Name	Revision Date
056	External Firewall Detail 1	
057	External Firewall Detail 2	
058	NZBC Details 1	
059	NZBC Details 2	

client:
T AYOUB

site address:
Lot 7173, DP 601411
149 HOWDEN DRIVE
QUEENSTOWN

job no:
770859



Notes:

1. All building work is to be carried out in accordance to NZS:3604:2011 and the New Zealand Building Code latest edition.
2. All sub trades are to complete work in accordance to their relevant standards.
3. All fixings, materials and workmanship to comply with NZBC clause B2 'durability'.
4. The contractor is responsible for verifying all dimensions, levels, boundaries and underground service locations on site before construction commences.
5. All queries are to be referred to the designer and/or engineer as applicable.

General Notes:

1. All dimensions & underground service locations are to be checked prior to commencement of any works.

2. DO NOT scale off drawings. Cross reference all drawings, confirm site levels, floor heights & restrictions prior to any earthworks. If any discrepancies occur, contact the Designer immediately before commencing works or ordering.

3. COPYRIGHT; These drawings remain the property of GJ Gardner Homes and are provided for use as described above and may not be used or re-produced in whole or part without written permission.

4. Producer statements are to be issued by all suppliers & tradesmen where applicable.

5. ***Any site/construction works are not to commence until building permit is issued.***

6. Plan drawings prepared on the understanding that the Building Contractor has a firm understanding of the NZ Building Code and NZS 3604:2011.

7. All contractors or Authorized parties of the Owner or Builder shall ensure that all works complies with the requirements of the Territorial Authority & NZ Building Code and NZS 3604:2011.

8. Any work undertaken outside these requirements without the prior written approval of the Designer, Engineer and/or the Territorial Authority hereby indemnifies the Designer against any claims in respect of the said work.

THESE PLANS MUST BE READ IN CONJUNCTION WITH ACCOMPANYING DOCUMENTS:
SITE SPECIFIC GEOTECH REPORT GQ76650, DATED AUGUST 2025
FOUNDATION & STRUCTURAL ENGINEERING REPORT S2164, DATED 12 DEC 2025
BUILDABLE TRUSS DESIGN BLD14076V3, DATED 12 FEB 2026

LICENSED BUILDING PRACTITIONER www.dbh.govt.nz BUILDING CONFIDENCE


ADNZ Professional Member

CORNERSTONE DESIGN
ph: 07 578 1611
e: info@cornerstonedesign.co.nz

All designs and details are copyright to GJ Gardner Homes

All dimensions & underground service locations are to be checked prior to commencement of anyworks. DO NOT scale off drawings. Cross reference all drawings, confirm site levels, floor heights & restrictions prior to any earthworks. If any descrepancies occur, contact the Designer immediately before commencing works or ordering. COPYRIGHT; These drawings remain the property of GJ Gardner Homes and are provided for use as described above and may not be used or re-produced in whole or part without written permission. Producer statements are to be issued by all suppliers & tradesmen where applicable. *Any site/construction works are not to commence until building permit is issued.*

Notes:



LEGEND

- BOUNDARY MARK
- WATER TOBY
- WATER LATERAL CONNECTION
- STORMWATER END CAP
- WASTEWATER END CAP
- BUILDERS' TEMP POWER SUPPLY
- POWER BOX
- TELCO. CONNECTION
- TREE
- 355.0 CONTOUR MAJOR 1.0m
- 355.2 CONTOUR MINOR 0.2m
- TOP OF BANK
- BOTTOM OF BANK
- FENCE
- EDGE OF CONCRETE
- KERBS
- EDGE OF SEAL
- ROAD CROWN
- BOUNDARY
- ADJACENT BOUNDARY

NOTES:

PLAN INFORMATION

- THIS PLAN INCLUDES INFORMATION FROM SITE SURVEYS (AUGUST 2025) OF VISIBLE SERVICES AND SURFACE FEATURES EXISTING AT THE TIME OF SURVEY.
- DIGITAL FORMAT FILES ARE AVAILABLE ON REQUEST TO PATERSONS.
- SUBJECT BOUNDARY DIMENSIONS ARE CALCULATED FROM TITLE PLAN, DP 601411.
- BOUNDARY DIMENSIONS FOR ADJACENT PARCELS ARE SOURCED FROM THE LINZ DIGITAL CADASTRAL DATABASE (DCDB), *LANDONLINE*, AUGUST 2025. NO WARRANTIES ARE GIVEN BY PATERSONS AS TO ADJACENT PARCEL BOUNDARY AND EASEMENT ACCURACY RECORDED IN THE DCDB.

GENERAL DISCLAIMER

- THIS PLAN AND ITS CONTENTS SHOULD NOT BE USED FOR ANY REASON OTHER THAN ITS INTENDED PURPOSE. THIS PLAN AND SURVEYED INFORMATION DOES NOT INCLUDE ASSESSMENT OR REPRESENTATIONS CONCERNING:
  - HAZARD REGISTERS, GROUND CONDITIONS, OR SUITABILITY FOR DEVELOPMENT.
  - 'GROUND LEVEL' AS DEFINED BY THE QLDC DISTRICT PLAN, OR OTHER DISTRICT PLAN REPRESENTATIONS.
  - THE IDENTITY, CORRECTNESS, OR USABILITY OF UTILITY SERVICES PORTRAYED, OR SERVICE CONNECTIONS TO UTILITY NETWORKS.
- THE USER OF THIS SURVEY INFORMATION SHOULD CONFIRM THE CORRECTNESS OF ANY UTILITY SERVICES INDICATED ON THE PLAN WITH THE UTILITY PROVIDERS. UTILITY PROVIDERS SHOULD BE CONSULTED TO MARK OUT UNDERGROUND SERVICES ON THE GROUND PRIOR TO ANY CONSTRUCTION ON OR NEAR THE SITE. LEVELS OF UTILTIES FROM OTHER SOURCES MAY NOT BE EXPRESSED IN THE SAME TERMS AS THIS PLAN AND SURVEY INFORMATION.
- REFER TO THE RECORD OF TITLE (RT) AND TITLE PLAN(S) FOR ANY REGISTERED EASEMENT(S), COVENANT(S), AND/OR INTEREST(S).

DATUM INFORMATION	
COORDINATE SYSTEM	NZGD2000
	MOUNT NICHOLAS CIRCUIT
DATUM	DUNEHT1958
ORIGIN OF COORDINATES	AP 162 DP 601411
ORIGIN OF LEVELS	YZ 6 SO 484152, 405.1053m

NOTE:

EROSION AND SEDIMENT CONTROL MEASURES

TEMPORARY CONSTRUCTION AREA:
RESTRICT ACESS TO ONE ENTRY / EXIT POINT.
ENSURE ALL-WEATHER ACCESS IS PROVIDED IN A MANNER THAT PREVENTS THE ACCESS BECOMING A SOURCE OF SEDIMENT

EARLY STORMWATER DRAINAGE CONNECTION:
TO AVOID LOCAL EROSION, CONNECT TEMPORARY OR PERMANENT DOWNPIPES TO THE STORMWATER SYSTEM AS SOON AFTER LAYING THE ROOF AS POSSIBLE

MATERIAL STOCKPILES:
STOCKPILES SHOULD BE PLACED UPSLOPE OF PERIMETER CONTROLS & COVERED WHEN NOT IN USE

INSTALL PERIMETER CONTROLS:
SILT FENCE OR OTHER BARRIER (STRAW BALE, BUND ETC) TO INTERCEPT SEDIMENT LADEN RUN OFF. THE CONTOURS OF THE SITE WILL DETERMINE THE NUMBER AND SPACING OF SILT FENCES REQUIRED

DIVERT OVERLAND FLOW:
DIVERT OVERLAND FLOW AWAY FROM THE SITE WORKS TO REDUCE RUN OFF FOM TRAVELLING ACROSS THE DISTURBED LAND

CONCRETE WASTE AND WASHING:
WASTE CONCRETE AND HOUSEHOLD PAINT SHOULD NOT BE ALLOWED TO WASH OFF SITE

MINIMISE DISTURBED AREAS WHEN WORKING:
PRESERVE AS MUCH GRASSED AREA AS POSSIBLE TO REDUCE SEDIMENT DISCHARGE AND FILTER SEDIMENT FROM OTHER AREAS. ONCE GRADING IS COMPLETE , STABILISE BARE SOIL AS SOON AS POSSIBLE

KEY

(S) - DIMENSIONED TO THE SOFFIT
(F) - DIMENSIONED TO THE FOUNDATIONS

N

LOT 7173
DP 601411
AREA: 350m²

149 HOWDEN DRIVE
HANLEY'S FARM
QUEENSTOWN

Site & Location Plan

LICENSED BUILDING PRACTITIONER www.dbh.govt.nz BUILDING CONFIDENCE

ADNZ Architectural Designers New Zealand Professional Member

Owner's signature _____
Date _____
GJ Gardner Homes' signature _____
Date _____

* ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO CONSTRUCTION COMMENCING *

all designs and details are copyright to GJ Gardner Homes

G.J. Gardner. HOMES

ph: 03 442 8840
e: queenstown@gjgardner.co.nz

* ALL CONSTRUCTION MUST BE BUILT IN COMPLIANCE WITH CURRENT NEW ZEALAND BUILDING CODE *

client: T AYOUB
Wind Zone: HIGH AS PER BRANZ WEBSITE

site address: 149 HOWDEN DRIVE HANLEY'S FARM QUEENSTOWN
Lot 7173, DP 601411

job no:	scale:	sheet:
770859	1:100, 1:1.1441, 1:1, 1:1.1933	2


drawn:	checked:	date:
ESL	AKC	8/05/2026

CORNERSTONE DESIGN
ph: 07 578 1611
e: info@cornerstonedesign.co.nz

Plan drawings prepared on the understanding that the Building Contractor has a firm undestanding of the NZ Building Code and NZS 3604:2011. All contractors or Authorised parties of the Owner or Builder shall ensure that all works complies with the requirements of the Territorial Authority & NZ Building Code and NZS 3604:2011. Any work undertaken outside these requirements without the prior written approval of the Designer, Engineer and/or the Territorial Authority hereby indemnifies the Designer against any claims in respect of the said work.

All dimensions & underground service locations are to be checked prior to commencement of anyworks. DO NOT scale off drawings. Cross reference all drawings, confirm site levels, floor heights & restrictions prior to any earthworks. If any descrepancies occur, contact the Designer immediately before commencing works or ordering. COPYRIGHT; These drawings remain the property of GJ Gardner Homes and are provided for use as described above and may not be used or re-produced in whole or part without written permission. Producer statements are to be issued by all suppliers & tradesmen where applicable. *Any site/construction works are not to commence until building permit is issued.*

Notes:



SITE COVERAGE	
Total site Area	350m²
Building sqm over foundation	181.79 m²
Including Porch	0.95 m²
Total	182.74m²
Site coverage =	52.21%

LOT 7173

DP 601411
AREA: 350m²

149 HOWDEN DRIVE
HANLEY'S FARM
QUEENSTOWN

Site Coverage

* ALL CONSTRUCTION MUST BE BUILT IN COMPLIANCE WITH CURRENT NEW ZEALAND BUILDING CODE *

Owner's signature _____

Date _____

GJ Gardner Homes' signature _____

Date _____

* ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO CONSTRUCTION COMMENCING *

all designs and details are copyright to GJ Gardner Homes

G.J. Gardner. HOMES

ph: 03 442 8840
e: queenstown@gjgardner.co.nz

client: T AYOUB
Wind Zone: HIGH AS PER BRANZ WEBSITE

site address: 149 HOWDEN DRIVE HANLEY'S FARM QUEENSTOWN
Lot 7173, DP 601411

job no: 770859 | scale: 1:100 | sheet: 3

drawn: ESL
checked: AKC
date: 18/02/2026

CORNERSTONE DESIGN
ph: 07 578 1611
e: info@cornerstonedesign.co.nz


LICENSED BUILDING PRACTITIONER www.dbh.govt.nz BUILDING CONFIDENCE

ADNZ Professional Member

Plan drawings prepared on the understanding that the Building Contractor has a firm undestanding of the NZ Building Code and NZS 3604:2011. All contractors or Authorised parties of the Owner or Builder shall ensure that all works complies with the requirements of the Territorial Authority & NZ Building Code and NZS 3604:2011. Any work undertaken outside these requirements without the prior written approval of the Designer, Engineer and/or the Territorial Authority hereby indemnifies the Designer against any claims in respect of the said work.

All dimensions & underground service locations are to be checked prior to commencement of anyworks. DO NOT scale off drawings. Cross reference all drawings, confirm site levels, floor heights & restrictions prior to any earthworks. If any descrepancies occur, contact the Designer immediately before commencing works or ordering. COPYRIGHT; These drawings remain the property of GJ Gardner Homes and are provided for use as described above and may not be used or re-produced in whole or part without written permission. Producer statements are to be issued by all suppliers & tradesmen where applicable. *Any site/construction works are not to commence until building permit is issued.*

Notes:



LOT 7173

DP 601411
AREA: 350m²

149 HOWDEN DRIVE
HANLEY'S FARM
QUEENSTOWN

Earthworks Calcs

* ALL CONSTRUCTION MUST BE BUILT IN COMPLIANCE WITH CURRENT NEW ZEALAND BUILDING CODE *

Owner's signature _____

Date _____

GJ Gardner Homes' signature _____

Date _____

* ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO CONSTRUCTION COMMENCING *

all designs and details are copyright to GJ Gardner Homes

G.J. Gardner. HOMES

ph: 03 442 8840
e: queenstown@gjgardner.co.nz

client: T AYOUB
Wind Zone: HIGH AS PER BRANZ WEBSITE

site address: 149 HOWDEN DRIVE HANLEY'S FARM QUEENSTOWN
Lot 7173, DP 601411

job no: 770859 | scale: 1:100 | sheet: 7

drawn: ESL
checked: AKC
date: 18/02/2026


CORNERSTONE DESIGN
ph: 07 578 1611
e: info@cornerstonedesign.co.nz

LICENSED BUILDING PRACTITIONER www.dbh.govt.nz BUILDING CONFIDENCE

ADNZ Professional Member

Plan drawings prepared on the understanding that the Building Contractor has a firm undestanding of the NZ Building Code and NZS 3604:2011. All contractors or Authorised parties of the Owner or Builder shall ensure that all works complies with the requirements of the Territorial Authority & NZ Building Code and NZS 3604:2011. Any work undertaken outside these requirements without the prior written approval of the Designer, Engineer and/or the Territorial Authority hereby indemnifies the Designer against any claims in respect of the said work.

All dimensions & underground service locations are to be checked prior to commencement of anyworks. DO NOT scale off drawings. Cross reference all drawings, confirm site levels, floor heights & restrictions prior to any earthworks. If any descrepancies occur, contact the Designer immediately before commencing works or ordering. COPYRIGHT; These drawings remain the property of GJ Gardner Homes and are provided for use as described above and may not be used or re-produced in whole or part without written permission. Producer statements are to be issued by all suppliers & tradesmen where applicable. *Any site/construction works are not to commence until building permit is issued.*



WALL FRAMING AS PER NELSON PINE STUD CHARTS

INTERNAL NON LOAD BEARING WALL FRAMING UP TO 3.6m - 90 x 45 LVL8 H1.2 @ 600mm CRS, NOGS @ 1350mm CRS

INTERNAL LOAD BEARING WALL FRAMING - 90 x 45 LVL8 H1.2 @ 600mm CRS, NOGS @ 1350mm CRS

EXTERNAL WALL FRAMING UP TO 3.6m - 140 x 45 LVL8 H1.2 @ 600mm CRS

SNOW LOADING	N5
EARTHQUAKE ZONE	3
EXPOSURE ZONE	B
CLIMATE ZONE	6
WIND REGION	A

BATHROOM
- 1000mm² SQUARE TILED SHOWER ON VILLABOARD
- 465mm x 900mm WIDE WALL HUNG VANITY
- 1700 NEWTECH NEWARK BACK TO WALL FREE-STANDING BATH
- NEWTECH FRANK BACK TO WALL TOILET SUITE
- 600mm HEATED TOWEL RAIL
- UNDERTILE HEATING ELEMENTS
- EXTRACTOR FAN DUCTED TO EXTERIOR

ENSUITE
- 900mm x 1200mm TILED SHOWER ON VILLABOARD
- 465mm x 750mm WIDE WALL HUNG VANITY
- NEWTECH FRANK BACK TO WALL TOILET SUITE
- 600mm HEATED TOWEL RAIL
- UNDERTILE HEATING ELEMENTS
- EXTRACTOR FAN DUCTED TO EXTERIOR

BATH 2
- 900mm² ROUND SLIDING NEWLINE RHINE ACRYLIC SHOWER
- 360mm x 600mm WIDE SLIM WALL HUNG VANITY
- NEWTECH FRANK BACK TO WALL TOILET SUITE
- 600mm HEATED TOWEL RAIL
- EXTRACTOR FAN DUCTED TO EXTERIOR

DIMENSIONS ARE OVER THE FRAME

House Floor Area: 144.93 m² **o/frame**
Flat Floor Area: 36.86 m² **o/frame**
TOTAL Floor Area: 181.79 m² **o/frame**
Roof Area = 191.17

Wind Zone: HIGH AS PER BRANZ WEBSITE

R3.2 (140mm) Wall Insulation Incl Garage
R2.8 (90mm) Internal Garage Wall Insulation
R5.0 (225mm) Ceiling Insulation Incl Garage

elevation guide

Notes:

TECHNICAL
- WHERE STUD SPACINGS ARE GREATER THAN 450mm AN INTERMEDIATE MEANS OF RESTRAINING THE BUILDING WRAP AND INSULATION FROM BULGING INTO THE DRAINED CAVITY SHALL BE INSTALLED USING:
  a) 75mm GALVANIZED MESH
  b) POLYPROPYLENE TAPE AT 300mm CRS
  c) GALVANIZED WIRE AT 300mm CRS FIXED TO DWANGS OVER THE BUILDING WRAP
  d) VERTICAL CAVITY BATTENS AT FACING TO MATCH ALL STUDS
  e) HORIZONTAL CAVITY BATTENS TO BE FIXED OVER NOGS
- WIRE OR MESH SHALL BE GALVANIZED IN ACCORDANCE WITH AS/NZS 4534
- PINK BATTS ARE FRICTION FITTED WHEN USING STUDS UP TO 600mm CRS. SOUND BATTS TO INTERNAL WALLS AS NOTED ON PLAN
- KITCHEN BENCH TOPS TO BE 38mm LAMINATE, CABINETRY TO BE 18mm MELAMINE & SPLASH BACKS TO BE TILED UNLESS OTHEWISE NOTED

FOUNDATIONS
- **MAXSLAB 300 FLOOR SYSTEM**

WALL FRAMING
- BOTTOM PLATE ANCHORS MUST BE WITHIN 150mm OF EACH END OF THE PLATE & @ NO MORE THAN 600mm CRS IN ACCORDANCE WITH NZS 3604:2011 TABLE 8.19
- 2615mm FROM FFL TO U/SIDE OF TRUSSES BOTTOM CHORD THROUGHOUT **(UNLESS OTHERWISE NOTED)**
- 10mm GIB LINING TO ALL INTERNAL WALLS

ROOF FRAMING
- 13mm GIB LINING TO ALL CEILINGS
- 13mm GIB AQUALINE TO ALL WET AREA CEILINGS

UNDERLAYS
- ROOF - DRISTUD FRU36 ROOF UNDERLAY
- WALL - MASONS UNI WRAP PLUS WALL UNDERLAY

JOINERY
- 2150mm HEAD HEIGHT TO ALL JOINERY **(UNLESS OTHERWISE NOTED)**
- POWDER COATED DOUBLE GLAZED ALUMINIUM JOINERY WITH AGP SOLUX-E & THERMAL HEART
- ALL GLAZING TO COMPLY WITH NZS 4223:2016
- ALL JOINERY TO COMPLY WITH NZS 4211:2008

WARNING SYSTEMS
- INTERCONNECTED SMOKE ALARMS MUST BE INSTALLED & MAINTAINED IN ACCORDANCE WITH NZS 4514:2021

STORMWATER & WASTEWATER DISPOSAL
- STORMWATER DISPOSAL TO ON SITE CONNECTION
- WASTEWATER DISPOSAL TO ON SITE CONNECTION

HEATING
- 6kW HEATPUMP SYSTEMS INSTALLED TO MANUFACTURERS SPECIFICATIONS
- DUCTED HEATING SYSTEMS TO HOUSE INSTALLED TO MANUFACTURERS SPECIFICATIONS
- FAN HEATER TO BATHROOM & ENSUITE INSTALLED TO MANUFACTURERS SPECIFICATIONS
- UNDERTILE HEATING ELEMENTS TO BATHROOM AND ENSUITE INSTALLED TO MANUFACTURERS SPECIFICATIONS
- HEATED TOWEL RAILS TO BATHROOMS AND ENSUITE INSTALLED TO MANUFACTURERS SPECIFICATIONS

GENERAL
- SOLIDCORE DOOR TO GARAGE, MASTER & LIVING AREA.
- FULL HIGHT TILED WALLS TO BATHROOM & ENS AS SHOWN ON PLAN
- T&G WALL LINING TO ENTRY, LIVING & MASTER WALLS AS SHOWN ON PLAN

* ALL CONSTRUCTION MUST BE BUILT IN COMPLIANCE WITH CURRENT NEW ZEALAND BUILDING CODE *

* ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO CONSTRUCTION COMMENCING *

all designs and details are copyright to GJ Gardner Homes

G.J. Gardner. HOMES
ph: 03 442 8840
e: queenstown@gjgardner.co.nz

client:
T AYOUB

Wind Zone: HIGH AS PER BRANZ WEBSITE

site address:
149 HOWDEN DRIVE
HANLEY'S FARM
QUEENSTOWN
Lot 7173, DP 601411

job no:	scale:	sheet:
770859	1:100	8

Floor Plan

drawn: ESL
checked: AKC
date: 8/05/2026

Owner's signature _____
Date _____
GJ Gardner Homes' signature _____
Date _____


CORNERSTONE DESIGN
ph: 07 578 1611
e: info@cornerstonedesign.co.nz

LICENSED BUILDING PRACTITIONER www.dbh.govt.nz BUILDING CONFIDENCE

ADNZ Professional Member

Plan drawings prepared on the understanding that the Building Contractor has a firm undestanding of the NZ Building Code and NZS 3604:2011. All contractors or Authorised parties of the Owner or Builder shall ensure that all works complies with the requirements of the Territorial Authority & NZ Building Code and NZS 3604:2011. Any work undertaken outside these requirements without the prior written approval of the Designer, Engineer and/or the Territorial Authority hereby indemnifies the Designer against any claims in respect of the said work.


All dimensions & underground service locations are to be checked prior to commencement of anyworks. DO NOT scale off drawings. Cross reference all drawings, confirm site levels, floor heights & restrictions prior to any earthworks. If any descrepancies occur, contact the Designer immediately before commencing works or ordering. COPYRIGHT; These drawings remain the property of GJ Gardner Homes and are provided for use as described above and may not be used or re-produced in whole or part without written permission. Producer statements are to be issued by all suppliers & tradesmen where applicable. *Any site/construction works are not to commence until building permit is issued.*



North Elevation 1:100

BUILDING ENVELOPE RISK MATRIX		
North Elevation		
Risk Factor	**Risk Severity**	**Risk Score**
Wind zone (per NZS 3604)	High risk	1
Number of storeys	Low risk	0
Roof/wall intersection design	Low risk	0
Eaves width	High risk	2
Envelope complexity	Medium risk	1
Deck design	Low risk	0
Total Risk Score:		**4**

BUILDING ENVELOPE RISK MATRIX		
West Elevation		
Risk Factor	**Risk Severity**	**Risk Score**
Wind zone (per NZS 3604)	High risk	1
Number of storeys	Low risk	0
Roof/wall intersection design	Low risk	0
Eaves width	High risk	2
Envelope complexity	Medium risk	1
Deck design	Low risk	0
Total Risk Score:		**4**



West Elevation 1:100

TOTAL CLADDING PERCENTAGES
CORRUGATE CLADDING - 76.59m² = 50.93%
STRIA CLADDING - 59.72m² = 39.71%
HP52 CEDAR CLADDING - 14.07m² = 9.36%

PGL - PROPOSED GROUND LINE
EGL - EXISTING GROUND LINE

COLOURS ARE INDICATIVE ONLY

SAFETY GLASS INDICATED BY ASTERISK
*

LICENSED BUILDING PRACTITIONER www.dbh.govt.nz BUILDING CONFIDENCE

Professional Member

Plan drawings prepared on the understanding that the Building Contractor has a firm undestanding of the NZ Building Code and NZS 3604:2011. All contractors or Authorised parties of the Owner or Builder shall ensure that all works complies with the requirements of the Territorial Authority & NZ Building Code and NZS 3604:2011. Any work undertaken outside these requirements without the prior written approval of the Designer, Engineer and/or the Territorial Authority hereby indemnifies the Designer against any claims in respect of the said work.

Owner's signature

Date

GJ Gardner Homes' signature

Date

Notes:

TECHNICAL
- WHERE STUD SPACINGS ARE GREATER THAN 450mm AN INTERMEDIATE MEANS OF RESTRAINING THE BUILDING WRAP AND INSULATION FROM BULGING INTO THE DRAINED CAVITY SHALL BE INSTALLED USING:
  a) 75mm GALVANIZED MESH
  b) POLYPROPYLENE TAPE AT 300mm CRS
  c) GALVANIZED WIRE AT 300mm CRS FIXED TO DWANGS OVER THE BUILDING WRAP
  d) VERTICAL CAVITY BATTENS AT FACING TO MATCH ALL STUDS
  e) HORIZONTAL CAVITY BATTENS TO BE FIXED OVER NOGS
- WIRE OR MESH SHALL BE GALVANIZED IN ACCORDANCE WITH AS/NZS 4534
- PINK BATTS ARE FRICTION FITTED WHEN USING STUDS UP TO 600mm CRS. SOUND BATTS TO INTERNAL WALLS AS NOTED ON PLAN
- KITCHEN BENCH TOPS TO BE 38mm LAMINATE, CABINETRY TO BE 18mm MELAMINE & SPLASH BACKS TO BE TILED UNLESS OTHEWISE NOTED

FOUNDATIONS
- **MAXSLAB 300 FLOOR SYSTEM**

WALL FRAMING
- BOTTOM PLATE ANCHORS MUST BE WITHIN 150mm OF EACH END OF THE PLATE & @ NO MORE THAN 600mm CRS IN ACCORDANCE WITH NZS 3604:2011 TABLE 8.19
- 2615mm FROM FFL TO U/SIDE OF TRUSSES BOTTOM CHORD THROUGHOUT **(UNLESS OTHERWISE NOTED)**
- 10mm GIB LINING TO ALL INTERNAL WALLS

ROOF FRAMING
- 13mm GIB LINING TO ALL CEILINGS
- 13mm GIB AQUALINE TO ALL WET AREA CEILINGS

UNDERLAYS
- ROOF - DRISTUD FRU36 ROOF UNDERLAY
- WALL - MASONS UNI WRAP PLUS WALL UNDERLAY

JOINERY
- 2150mm HEAD HEIGHT TO ALL JOINERY **(UNLESS OTHERWISE NOTED)**
- POWDER COATED DOUBLE GLAZED ALUMINIUM JOINERY WITH AGP SOLUX-E & THERMAL HEART
- ALL GLAZING TO COMPLY WITH NZS 4223:2016
- ALL JOINERY TO COMPLY WITH NZS 4211:2008

WARNING SYSTEMS
- INTERCONNECTED SMOKE ALARMS MUST BE INSTALLED & MAINTAINED IN ACCORDANCE WITH NZS 4514:2021

STORMWATER & WASTEWATER DISPOSAL
- STORMWATER DISPOSAL TO ON SITE CONNECTION
- WASTEWATER DISPOSAL TO ON SITE CONNECTION

HEATING
- 6kW HEATPUMP SYSTEMS INSTALLED TO MANUFACTURERS SPECIFICATIONS
- DUCTED HEATING SYSTEMS TO HOUSE INSTALLED TO MANUFACTURERS SPECIFICATIONS
- FAN HEATER TO BATHROOM & ENSUITE INSTALLED TO MANUFACTURERS SPECIFICATIONS
- UNDERTILE HEATING ELEMENTS TO BATHROOM AND ENSUITE INSTALLED TO MANUFACTURERS SPECIFICATIONS
- HEATED TOWEL RAILS TO BATHROOMS AND ENSUITE INSTALLED TO MANUFACTURERS SPECIFICATIONS

GENERAL
- SOLIDCORE DOOR TO GARAGE, MASTER & LIVING AREA.
- FULL HIGHT TILED WALLS TO BATHROOM & ENS AS SHOWN ON PLAN
- T&G WALL LINING TO ENTRY, LIVING & MASTER WALLS AS SHOWN ON PLAN

* ALL CONSTRUCTION MUST BE BUILT IN COMPLIANCE WITH CURRENT NEW ZEALAND BUILDING CODE *

* ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO CONSTRUCTION COMMENCING *

all designs and details are copyright to GJ Gardner Homes

G.J. Gardner. HOMES
ph: 03 442 8840
e: queenstown@gjgardner.co.nz

client:
T AYOUB

Wind Zone: HIGH AS PER BRANZ WEBSITE

site address:
149 HOWDEN DRIVE
HANLEY'S FARM
QUEENSTOWN
Lot 7173, DP 601411


job no:	scale:	sheet:
770859	1:100	9

Elevations 1

drawn: ESL
checked: AKC
date: 8/05/2026

CORNERSTONE DESIGN
ph: 07 578 1611
e: info@cornerstonedesign.co.nz

All dimensions & underground service locations are to be checked prior to commencement of anyworks. DO NOT scale off drawings. Cross reference all drawings, confirm site levels, floor heights & restrictions prior to any earthworks. If any descrepancies occur, contact the Designer immediately before commencing works or ordering. COPYRIGHT; These drawings remain the property of GJ Gardner Homes and are provided for use as described above and may not be used or re-produced in whole or part without written permission. Producer statements are to be issued by all suppliers & tradesmen where applicable. *Any site/construction works are not to commence until building permit is issued.*



South Elevation 1:100

BUILDING ENVELOPE RISK MATRIX		
South Elevation		
Risk Factor	**Risk Severity**	**Risk Score**
Wind zone (per NZS 3604)	High risk	1
Number of storeys	Low risk	0
Roof/wall intersection design	Low risk	0
Eaves width	High risk	2
Envelope complexity	High risk	3
Deck design	Low risk	0
Total Risk Score:		**6**

BUILDING ENVELOPE RISK MATRIX		
East Elevation		
Risk Factor	**Risk Severity**	**Risk Score**
Wind zone (per NZS 3604)	High risk	1
Number of storeys	Low risk	0
Roof/wall intersection design	Low risk	0
Eaves width	High risk	2
Envelope complexity	Medium risk	1
Deck design	Low risk	0
Total Risk Score:		**4**



East Elevation 1:100

COLOURS ARE INDICATIVE ONLY

SAFETY GLASS INDICATED BY ASTERISK
*

PGL - PROPOSED GROUND LINE
EGL - EXISTING GROUND LINE

Plan drawings prepared on the understanding that the Building Contractor has a firm undestanding of the NZ Building Code and NZS 3604:2011. All contractors or Authorised parties of the Owner or Builder shall ensure that all works complies with the requirements of the Territorial Authority & NZ Building Code and NZS 3604:2011. Any work undertaken outside these requirements without the prior written approval of the Designer, Engineer and/or the Territorial Authority hereby indemnifies the Designer against any claims in respect of the said work.

Owner's signature

Date

GJ Gardner Homes' signature

Date

Notes:

TECHNICAL
- WHERE STUD SPACINGS ARE GREATER THAN 450mm AN INTERMEDIATE MEANS OF RESTRAINING THE BUILDING WRAP AND INSULATION FROM BULGING INTO THE DRAINED CAVITY SHALL BE INSTALLED USING:
  a) 75mm GALVANIZED MESH
  b) POLYPROPYLENE TAPE AT 300mm CRS
  c) GALVANIZED WIRE AT 300mm CRS FIXED TO DWANGS OVER THE BUILDING WRAP
  d) VERTICAL CAVITY BATTENS AT FACING TO MATCH ALL STUDS
  e) HORIZONTAL CAVITY BATTENS TO BE FIXED OVER NOGS
- WIRE OR MESH SHALL BE GALVANIZED IN ACCORDANCE WITH AS/NZS 4534
- PINK BATTS ARE FRICTION FITTED WHEN USING STUDS UP TO 600mm CRS. SOUND BATTS TO INTERNAL WALLS AS NOTED ON PLAN
- KITCHEN BENCH TOPS TO BE 38mm LAMINATE, CABINETRY TO BE 18mm MELAMINE & SPLASH BACKS TO BE TILED UNLESS OTHEWISE NOTED

FOUNDATIONS
- **MAXSLAB 300 FLOOR SYSTEM**

WALL FRAMING
- BOTTOM PLATE ANCHORS MUST BE WITHIN 150mm OF EACH END OF THE PLATE & @ NO MORE THAN 600mm CRS IN ACCORDANCE WITH NZS 3604:2011 TABLE 8.19
- 2615mm FROM FFL TO U/SIDE OF TRUSSES BOTTOM CHORD THROUGHOUT **(UNLESS OTHERWISE NOTED)**
- 10mm GIB LINING TO ALL INTERNAL WALLS

ROOF FRAMING
- 13mm GIB LINING TO ALL CEILINGS
- 13mm GIB AQUALINE TO ALL WET AREA CEILINGS

UNDERLAYS
- ROOF - DRISTUD FRU36 ROOF UNDERLAY
- WALL - MASONS UNI WRAP PLUS WALL UNDERLAY

JOINERY
- 2150mm HEAD HEIGHT TO ALL JOINERY **(UNLESS OTHERWISE NOTED)**
- POWDER COATED DOUBLE GLAZED ALUMINIUM JOINERY WITH AGP SOLUX-E & THERMAL HEART
- ALL GLAZING TO COMPLY WITH NZS 4223:2016
- ALL JOINERY TO COMPLY WITH NZS 4211:2008

WARNING SYSTEMS
- INTERCONNECTED SMOKE ALARMS MUST BE INSTALLED & MAINTAINED IN ACCORDANCE WITH NZS 4514:2021

STORMWATER & WASTEWATER DISPOSAL
- STORMWATER DISPOSAL TO ON SITE CONNECTION
- WASTEWATER DISPOSAL TO ON SITE CONNECTION

HEATING
- 6kW HEATPUMP SYSTEMS INSTALLED TO MANUFACTURERS SPECIFICATIONS
- DUCTED HEATING SYSTEMS TO HOUSE INSTALLED TO MANUFACTURERS SPECIFICATIONS
- FAN HEATER TO BATHROOM & ENSUITE INSTALLED TO MANUFACTURERS SPECIFICATIONS
- UNDERTILE HEATING ELEMENTS TO BATHROOM AND ENSUITE INSTALLED TO MANUFACTURERS SPECIFICATIONS
- HEATED TOWEL RAILS TO BATHROOMS AND ENSUITE INSTALLED TO MANUFACTURERS SPECIFICATIONS

GENERAL
- SOLIDCORE DOOR TO GARAGE, MASTER & LIVING AREA.
- FULL HIGHT TILED WALLS TO BATHROOM & ENS AS SHOWN ON PLAN
- T&G WALL LINING TO ENTRY, LIVING & MASTER WALLS AS SHOWN ON PLAN

* ALL CONSTRUCTION MUST BE BUILT IN COMPLIANCE WITH CURRENT NEW ZEALAND BUILDING CODE *

* ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO CONSTRUCTION COMMENCING *

all designs and details are copyright to GJ Gardner Homes

G.J. Gardner. HOMES
ph: 03 442 8840
e: queenstown@gjgardner.co.nz

client:
T AYOUB
Wind Zone: HIGH AS PER BRANZ WEBSITE

site address:
149 HOWDEN DRIVE
HANLEY'S FARM
QUEENSTOWN
Lot 7173, DP 601411

job no:	scale:	sheet:
770859	1:100	10

Elevations 2

drawn: ESL
checked: AKC
date: 8/05/2026

CORNERSTONE DESIGN
ph: 07 578 1611
e: info@cornerstonedesign.co.nz